

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9027	(eas or tag or marker) same 'v'	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:19
L2	93	(eas or tag or marker) same (v adj shape)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:22
L3	9	(eas or tag or marker or RFID) and ((hous\$3 or enclosure) near9 (v adj shape))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:26
L4	1974	(eas or tag or marker or RFID) and (hous\$3 or enclosure) near9 shape	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:26
L5	603	(eas or tag or marker or RFID) near4 (dispos\$3 or locat\$3 or position or mount\$3 or attach\$3) near4 (hous\$3 or enclosure)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:27
L6	82	4 and 5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:29
L7	5	6 and ((ellips\$4 or semi-circle or round or cone or v) near2 shape)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/20 09:31

US 6865047 B2	Single reel tape cartri 360/69
US 5881719 A	Inhaler for administeri 128/203.1; 128/203.12; 128/203.21; 604/58
US 5361848 A	Agricultural cultivator 172/140 172/145; 172/149; 172/159; 172/
US 4646971 A	Field sprayer and enc 239/166 239/172; 239/288.5; 47/1.7
US 4460195 A	Automatic clamping a 280/612
US 3753216 A	HIGH VOLTAGE TEF 439/491 439/716; 439/718; 439/721
WO 2004096412 A	Jig for removing filter element from housing of filtration device, ha
KR 2000024582 A	Modular construction for a greenhouse comprises fixed and ventil
EP 209451 A1, B1	Hot wire level sensor for electrically-insulating liq. - comprises two

L3

US 6735894 B2	Tag encasement	40/654.01	40/300; 40/661
US 6775315 B1	Apparatus and metho	372/109	359/223; 372/14; 372/15; 606/11
US 6213340 B1	Ice bucket for bottles,	220/752	220/770; 220/775
US 5784227 A	Tape cassette mount	360/132	
US 4965941 A	Combination marker :	33/668	33/760

L7